

PENNINE SYSTEMS LTD

COWLS & BIRD GUARDS BROCHURE



Pennine Systems Limited
Crossley Works, Stockfield Mount, off Peel St, Chadderton, Oldham OL9 9LR
T 0161 678 2998 F 0161 678 2997 E sales@penninesystems.co.uk W www.penninesystems.co.uk

Description	Order Code	Diameter	Length/Dimension
<p>TRADITIONAL SQUARE COWL</p> <p>This cowl works on aerodynamics as air moves over it, it creates lift at the top stopping down draught and removing fumes.</p>	CCNA0001		
<p>ALL PURPOSE CAP</p> <p>All Purpose top works in the same principle as the standard cowl but are more efficient as their rounded shape creates lift whichever direction the wind is blowing, eliminating downdraught. Rain drains help divert water outside the chimney pot.</p>	CTGA CTAP0001	GAS ALL PURPOSE	
<p>REVOLUTION COWL</p> <p>Wind powered stainless steel cowl designed to solve problem of down draught and can be used equally for ventilation. The high performance of the strong 316 grade produces excellent draw in the chimney for ventilation shaft.</p>	CCRV4210		
<p>FAN</p> <p>Power fans designed to extract fumes from your chimney and are available in four sizes, these are suitable for solid fuel fired appliances.</p>		GAS & OIL SOLID FUEL ACCESSORIES REQUIRED	
<p>H COWL</p> <p>The H Cowl is probably the ultimate static downdraught chimney cowl as it completely isolates the combustion gasses from the prevailing winds. This version has no mesh and is made from 316 grade stainless steel and so is unsuitable for oil and solid fuel fired appliances. Can be fitted with mesh for gas applications.</p>	VHPOT4S VHPOT4S VHPOT6S	100mm 4" 125mm 5" 150mm 6"	<p>ALSO AVAILABLE IN VITREOUS ENAMEL BLACK FOR PROTECTION</p> 

Description	Order Code	Diameter	Length/Dimension
<p>VEDETTE The Vedette cowl has a large drum shaped shroud, making it extremely effective against downdraught. Available in SW430 with mesh inserts for gas fired appliances, and SW316 without inserts for oil and solid fuels.</p>	 <p>VSSVS50 VSSVS60</p>	<p>5" 6"</p>	
<p>STAINLESS STEEL CAP Simple rain cap helps prevent rain entering the chimney.</p>	 <p>VSSRC50 VSSRC60</p>	<p>5" 6"</p>	
<p>ALUMINIUM RAIN CAP Simple rain cap helps prevent rain entering the chimney.</p>	 <p>VARC40 VARC50 VARC60 VARC70 VARC80</p>	<p>4" 5" 6" 7" 8"</p>	
<p>TRIGUARD An ornate bird guard with a simple spring fit. One size fits all (150mm - 225mm). Hardwearing coated M10 steel. Multi fuel use. Black gloss finish.</p>	 <p>VTRI01</p>		
<p>HIGH TOP BIRDCUARD Designed to prevent the ingress of birds, vermin and leaves into used or unused chimney flues (for solid fuel appliances) Fits chimney pots with outside diameters from 230mm-290mm. This product is secured by bolts. Terracotta finish</p>	 <p>CTHTS0001</p>		