


# PENNINE SYSTEMS LIMITED

## FLEXIBLE FLUE LINER GRADE 316L



### Premier Flexible liner cut lengths

Class 1 grade 316L is a double skin, smooth bore stainless steel flexible multi-fuel flue liner. This range is perfect for renovation of existing masonry chimneys.

0.2mm thick (0.10x2). Suitable for wet condition.  
No fire cements or screw fixings required for adaptors or joints.  
The liner is marked with length - flow direction - designation.  
Liner & accessories tested as a system chimney.

### Premier Vitreous Enamelled connecting Flue Pipe

**BENEFITS** Quick and easy to install with no mess. Low Resistance to flow.  
High Corrosion resistance. Extremely Flexible.

### Cut Length Prices

Product Code	Product Description		Diameter (mm)		Cut Length (m)
	<b>HETAS APPROVED</b>				
Premier L 316	L316 Multi-Premier 125 Kit 7M		125mm	5"	7m
Premier L 317	L316 Multi-Premier 125 Kit 8M		125mm	5"	8m
Premier L 318	L316 Multi-Premier 125 Kit 10M		125mm	5"	10m
Premier L 319	L316 Multi-Premier 125 Kit 13M		125mm	5"	13m
Premier L 320	L316 Multi-Premier 125 Kit 16M		125mm	5"	16m
Premier L 321	L316 Multi-Premier 155 Kit 7M		155mm	6"	7m
Premier L 322	L316 Multi-Premier 155 Kit 8M		155mm	6"	8m
Premier L 323	L316 Multi-Premier 155 Kit 10M		155mm	6"	10m
Premier L 324	L316 Multi-Premier 155 Kit 13M		155mm	6"	13m
Premier L 325	L316 Multi-Premier 155 Kit 16M		155mm	6"	16m

**\*NB: The Kit includes Flex Liner, Top Plate, Top Clamp, Adaptor to Flex, Stainless Steel Rain Cap and Flue Liner Insert.**

**NB A Kit can be adapted to suit your requirements**

**The following products can be sold separately:-**

Product Code	Product Description		Diameter (mm)		Colour
FF50C1CP	Top Plate		125mm	5"	Matt or Gloss
FF60C1CP	Top Plate		150mm	6"	
FF50C1CR	Top Clamp		125mm	5"	
FF60C1CR	Top Clamp		150mm	6"	
VIFA4X5	Adaptor to Flex		100mm-125mm	4"-5"	
VIFA5X6	Adaptor to Flex		125mm-150mm	5"-6"	
VARC50B	Aluminium Rain Cap		125mm	5"	
VARC60B	Aluminium Rain Cap		150mm	6"	
VSSRC50B	Stainless Steel Rain Cap		125mm	5"	
VSSRC60B	Stainless Steel Rain Cap		150mm	6"	
VFLI50SS	Flue Liner Inserts		125mm	5"	
VFLI60SS	Flue Liner Inserts		150mm	6"	

## FLEXIBLE FLUE LINER GRADE 904L



Class 1 Grade 904L is a double skin, smooth bore stainless steel flexible multi-fuel flue liner. This range is perfect for renovation of existing masonry chimneys.

0.2mm thick (0.10x2). Suitable for wet condition.  
No fire cements or screw fixings required for adaptors or joints.  
The liner is marked with length - flow direction - designation.  
Liner & accessories tested as a system chimney.

**BENEFITS** Quick and easy to install with no mess. Low Resistance to flow.  
High Corrosion resistance. Extremely Flexible.

### Cut Length Prices

Product Code	Product Description		Diameter (mm)		Cut Length (m)
	<b>HETAS APPROVED</b>				
Premier LHR904	L904 Multi-Premier 125 Kit 7M		125mm	5"	7m
Premier LHR905	L904 Multi-Premier 125 Kit 8M		125mm	5"	8m
Premier LHR906	L904 Multi-Premier 125 Kit 10M		125mm	5"	10m
Premier LHR907	L904 Multi-Premier 125 Kit 13M		125mm	5"	13m
Premier LHR908	L904 Multi-Premier 125 Kit 16M		125mm	5"	16m
Premier LHR909	L904 Multi-Premier 155 Kit 7M		155mm	6"	7m
Premier LHR910	L904 Multi-Premier 155 Kit 8M		155mm	6"	8m
Premier LHR911	L904 Multi-Premier 155 Kit 10M		155mm	6"	10m
Premier LHR912	L904 Multi-Premier 155 Kit 13M		155mm	6"	13m
Premier LHR913	L904 Multi-Premier 155 Kit 16M		155mm	6"	16m

**\*NB: The Kit includes Flex Liner, Top Plate, Top Clamp, Adaptor to Flex, Stainless Steel Rain Cap and Flue Liner Insert.**

**NB A Kit can be adapted to suit your requirements**

**The following products can be sold separately:-**

Product Code	Product Description		Diameter (mm)		Colour
FF50C1CP	Top Plate		125mm	5"	
FF60C1CP	Top Plate		150mm	6"	
FF50C1CR	Top Clamp		125mm	5"	
FF60C1CR	Top Clamp		150mm	6"	
VIFA4X5	Adaptor to Flex		100mm-125mm	4"-5"	
VIFA5X6	Adaptor to Flex		125mm-150mm	5"-6"	
VARC50B	Aluminium Rain Cap		125mm	5"	
VARC60B	Aluminium Rain Cap		150mm	6"	
VSSRC50B	Stainless Steel Rain Cap		125mm	5"	
VSSRC60B	Stainless Steel Rain Cap		150mm	6"	
VFLI50SS	Flue Liner Inserts		125mm	5"	
VFLI60SS	Flue Liner Inserts		150mm	6"	

Pennine Systems Limited  
Crossley Works, Stockfield Mount, off Peel St, Chadderton, Oldham OL9 9LR  
T 0161 678 2998 F 0161 678 2997 E sales@penninesystems.co.uk W www.penninesystems.co.uk

